

# Chatillon® BP13 Series Bench Scales

Specification Sheet

SS-BP13-0310

March 2010

The CHATILLON® BP13 Series bench platform scale features a large, easy-to-read 13-inch (330 mm) dial with knife-edge pointer for accurate measurements. Scales are suitable for H44 Class III "Legal for Trade" applications. Designed for platform use, the BP13 features a rugged cast-iron base with heavy-gauge steel platform for excellent stability. The scale's mounting feet are adjustable. Options include a stainless steel platform, 7-inch (178 mm) deep provisional pan and quick tare knob. Tare adjustments may be made up to 10% of rated capacity. The scale's head cover and column back are removable for easy access to the dial mechanism and the dashpot. Units are shipped assembled.

## Features

- H44 Class III "Legal for Trade"
- Avoirdupois and Metric Dials
- 13-inch (330mm) Reading Dial with Knife-edge Pointer
- Full Scale in 1 Revolution
- Rugged Cast Iron Base, Heavy-gauge Steel Construction
- 1 Year Warranty

## Specifications

**Accuracy:** See Ordering

**Safe Overload:** 120% of rated capacity

**Ultimate Overload:** 125% of Rated Capacity

**Display:** Single Reading

**Operating Temperature:** 45° to 104°F (7° to 40°C)

**Storage Temperature:** -4° to 104°F (-20° to 40°C)

**Instrument Weights:** 100 lbs (45 kg)

**Shipping Weight:** 120 lbs (55 kg)

*Note: Weights are approximate.*



BP13 Series with  
optional Provision Pan (23019)



*Quality Assured.*

**AMETEK®** | **Chatillon®**  
Precision Weighing

Visit us on the worldwide web:  
[www.chatillon.com](http://www.chatillon.com)

## Ordering

### Accuracies - Class III "Legal for Trade"

| Model      | Resolution    | Range        | Scale      |             | Tolerance    |              |
|------------|---------------|--------------|------------|-------------|--------------|--------------|
|            |               |              | Divisions  | Division    | Weight       | %Accurate    |
| BP13-065-T | 65 lb x 2 oz  | 0 - 62 lb    | 0 - 500    | $\pm 1/2$ d | $\pm 1$ oz   | $\pm 0.10\%$ |
|            |               | 63 - 65 lb   | 501 - 2000 | $\pm 1$ d   | $\pm 2$ oz   | $\pm 0.19\%$ |
| BP13-130-T | 130 lb x 4 oz | 0 - 125 lb   | 0 - 500    | $\pm 1/2$ d | $\pm 2$ oz   | $\pm 0.10\%$ |
|            |               | 126 - 130 lb | 501 - 2000 | $\pm 1$ d   | $\pm 4$ oz   | $\pm 0.19\%$ |
| BP13-260-T | 260 lb x 8 oz | 0 - 250 lb   | 0 - 500    | $\pm 1/2$ d | $\pm 4$ oz   | $\pm 0.10\%$ |
|            |               | 251 - 260 lb | 501 - 2000 | $\pm 1$ d   | $\pm 8$ oz   | $\pm 0.19\%$ |
| BP13-520-T | 520 lb x 1 lb | 0 - 500 lb   | 0 - 500    | $\pm 1/2$ d | $\pm 1/2$ lb | $\pm 0.10\%$ |
|            |               | 501 - 520 lb | 501 - 2000 | $\pm 1$ d   | $\pm 1$ lb   | $\pm 0.19\%$ |

### Accuracies - No Class

| Model       | Resolution     | Range      | Scale      |             | Tolerance   |              |
|-------------|----------------|------------|------------|-------------|-------------|--------------|
|             |                |            | Divisions  | Division    | Weight      | %Accurate    |
| BP13-025K-T | 25 kg x 50 g   | 0 - 25 kg  | 0 - 500    | $\pm 1/2$ d | $\pm 25$ g  | $\pm 0.10\%$ |
|             |                |            | 501 - 2000 | $\pm 1$ d   | $\pm 50$ g  | $\pm 0.20\%$ |
| BP13-050K-T | 50 kg x 100 g  | 0 - 50 kg  | 0 - 500    | $\pm 1/2$ d | $\pm 50$ g  | $\pm 0.10\%$ |
|             |                |            | 501 - 2000 | $\pm 1$ d   | $\pm 100$ g | $\pm 0.20\%$ |
| BP13-100K-T | 100 kg x 250 g | 0 - 100 kg | 0 - 500    | $\pm 1/2$ d | $\pm 125$ g | $\pm 0.13\%$ |
|             |                |            | 501 - 2000 | $\pm 1$ d   | $\pm 250$ g | $\pm 0.25\%$ |
| BP13-200K-T | 200 kg x 500 g | 0 - 200 kg | 0 - 500    | $\pm 1/2$ d | $\pm 250$ g | $\pm 0.13\%$ |
|             |                |            | 501 - 2000 | $\pm 1$ d   | $\pm 500$ g | $\pm 0.25\%$ |

Certificate of Conformance No. 88-096A1, Model 13/A and Type 15, was issued under the national Type Evaluation Program of the National Conference on Weights and Measures, that the design conforms to NIST Handbook 44 Class III. The scale is "Legal for Trade" subject to on-site verification by the local Weights and Measures jurisdictions.

Class III models meet all requirements of NIST Handbook 44 Class III. Usage of Class III scales in trade is limited to certain transactions. Consult your local Office of Weights and Measures for clarification.

## Accessories


| Part No. | Description                                  |
|----------|--|
| 12130-3  | Quick Tare Knob                              |
| 16012    | Stainless Steel Platform Cover               |
| 23019    | Stainless Steel Provision Pan                |
| 16005-A  | Damping Oil (65 lb, 130 lb, 25 kg, 50 kg)    |
| 16005-B  | Damping Oil (260 lb, 520 lb, 100 kg, 200 kg) |

#### Notes:

The provision pan weighs approximately 10 lbs. Scales with capacities less than 100 lbs must be back-started.

The Quick Tare Knob cannot be used on Legal for Trade applications.

## Dimensions



# AMETEK

## MEASUREMENT & CALIBRATION TECHNOLOGIES

Americas  
AMETEK  
Measurement & Calibration  
Technologies  
8600 Somerset Drive  
Largo, Florida 33773  
United States of America  
Tel +1-727-536-7831  
Tel +1-800-527-9999  
Fax +1-727-539-6882  
Email chatillon.fl-lar@ametek.com

United Kingdom  
Lloyd Instruments Ltd.  
Steyning Way  
Bognor Regis  
West Sussex  
PO22 9ST  
United Kingdom  
Tel +44 (0) 1243 833 370  
Fax +44 (0) 1243 833 401  
Email uk-far.general@ametek.co.uk

France  
AMETEK S.A.S.  
Rond Point de l'Épine des Champs  
Buro Plus - Bat. D  
78990 Elancourt  
France  
Tel +33 (0)1 30 68 89 40  
Fax +33 (0)1 30 68 89 49  
Email general@lloyd-instruments.com

Germany  
AMETEK GmbH  
Rudolf-Diesel-Strasse 16  
D-40670 Meerbusch  
Germany  
Tel +49 (0) 2159 9136-70  
Fax +49 (0) 2159 9136-39  
Email info@ametek.de

Singapore  
AMETEK Singapore Pvt. Ltd.  
10 Ang Mo Kio Street 65  
#05-12 Techpoint  
Singapore 569059  
Tel +65-6484-2388  
Fax +65-6481-6588  
Email aspl@ametek.com.sg

Visit Us on the Worldwide Web at:  
[www.chatillon.com](http://www.chatillon.com)

© 2010 by AMETEK, Inc.

Information within this document is subject to change without notice.

ISO 9001/2000  
ISO/IEC 17025  
Manufacturer

For the authorized Chatillon Distributor or Manufacturer's Representative near you, go to [www.chatillon.com](http://www.chatillon.com)